

WELLNESS



WARM WATER NOZZLE

An individually adjustable wand system with self-cleaning function

CLEANLINESS



ACTILIGHT

Zirconium coating combined with UV light for a cleansing effect that breaks down waste



EWATER+

Electrolysed water with a waste-repellent, cleansing effect



PREMIST

Mist of water sprayed onto the ceramic before the toilet is used. Makes it more difficult for dirt and waste to accumulate



TORNADO FLUSH

Highly effective two- or three-jet flush



RIMLESS DESIGN

Ceramic toilet bowl without hard-to-reach areas along the top edge



CEFIONTECT

Smooth glaze for a special hygienic ceramic surface

SUSTAINABILITY



WATER-SAVING

Technologies that save water



4,5L FLUSH

Water-saving full flush uses just 4.51

COMFORT



AUTO FUNCTIONS

Sensor-based technologies



HEATED SEAT

Individually adjustable temperature



DEODORIZER

Filter system to absorb odours



DRYER

Jet of warm air

DESIGN



INTEGRATED

Innovative technology meets elegant product design

CONTENT

- **6 WHAT IS WASHLET®?**
- 8 TOTO CLEANOVATION/CLEAN SYNERGY
- 10 HISTORY OF WASHLET®

12 PRODUCT WORLD OF WASHLET®

WASHLET® 28 EXPERIENCE & DETAILS

- 12 OVERVIEW OF WASHLET®
- 14 NEOREST® WASHLET® AC 2.0*
- 16 NEOREST® WASHLET® EW 2.0
- 18 WASHLET® RW / RW auto flush
- 20 WASHLET® SW / SW auto flush
- 22 WASHLET® RX EWATER+/RX EWATER+ auto flush
- 24 WASHLET® SX EWATER+ / RX EWATER+ auto flush
- 26 WASHLET® RG / RG Lite

- 30 WELLNESS
- 32 CLEANLINESS
- 44 COMFORT
- 48 SUSTAINABILITY
- 50 DESIGN
- 52 OVERVIEW OF WASHLET® FUNCTIONS
- 54 OVERVIEW OF TECHNICAL DETAILS
- 54 WC/WASHLET® COMBINATIONS
- **57 PLANNING DATA**
- 61 WHAT YOU SHOULD KNOW
- **62 ABOUT TOTO**
- 64 IMPRINT

Let's wash with TOTO: WashLet's wash with



CLEAN SYNERGY

Technology and design





washlė́t®

Life-changing! This is how people describe the experience of using WASHLET® for the first time.

Once they've encountered the soothing comfort of being cleansed with a hygienic stream of water, using just toilet paper will never seem thorough enough.

What is the difference between a standard toilet and WASHLET®?

A WASHLET® is a shower toilet with an integrated wand jet that cleans the intimate areas with warm water.

A remote control makes it possible select various functions and individual settings, like the position and water pressure of the spray, as well as the temperature. Other comfort features include a pre-warmed toilet seat and, depending on the model, a dryer.

Who is WASHLET® made for?

Hygiene isn't a question of age, living conditions or origin. Everyone has their own standards of hygiene – and they get more important when the most intimate parts of the body are involved. As such, a shower toilet is perfect for anyone who cares deeply about personal hygiene and wants to feel fresh throughout the entire day.



Whether our hands, face or body – we always use water on our skin to ensure the best hygiene. Why not do the same when using the toilet? WASHLET® models clean the intimate areas gently and naturally with warm water – for a pleasant, fresh feeling any time of the day.

A shower toilet provides many benefits:

- maximum hygiene
- greater well-being
- improved health
- space-saving, modern toilet
- ensures independence in old age or with limited mobility

It's easy to add WASHLET® to transform a TOTO toilet into a modern shower toilet. Talk to your plumber about the necessary power and water connection and other requirements. Depending on your situation, you may be able to switch from paper to gentle cleansing with water in just a day.

TOTO CLEANOVATION

Clean gives peace of mind
Clean makes life beautiful
Clean feels refreshing
Clean is caring for people and the planet
Clean brings wellness to everyday life

TOTO innovation brings a new world of clean to life, enriching every moment of every day.






Always Innovating to Spread a Culture of Everyday Comfort and Cleanliness.

Since its launch in the 1980s, WASHLET® has continually evolved through the invention of countless innovative clean technologies. This is also our history of creating – and spreading around the world – a new culture of comfort and cleanliness through the shift from only wiping with toilet paper to cleansing with water. As a result of these efforts,

in 2017 WASHLET® was recognized as the No.1 brand of electric toilet seats with bidet function in the world and in 2022 broke through the milestone of sixty million total units sold. As a worldwide best seller, TOTO will continue pursuing technological innovation to make the lives of people everywhere fresher and richer.



2005



Exceeds 40 million units

2015



Exceeds 50 million units

2019

2022

1998



Exceeds 10 million units



2011

Exceeds 30 million units



Exceeds 60 million units

Overview of **WASHLET®**

NEOREST® AC 2.0*

The ultimate solution for total hygiene & comfort.



- ▶ Self-cleaning ACTILIGHT function p. 42
- ▶ Individually adjustable wand jet p. 30
- ▶ EWATER+ for the wand p. 32
- ▶ EWATER+ for the bowl p. 34
- ▶ PREMIST: Mist of water prior to use p. 40
- ▶ Sensor-activated lid p. 45
- ▶ Sensor-activated flush p. 45
- ▶ Heated seat p. 45

- Dryer p. 45
- Filter p. 45
- ▶ Energy Saver Timer + Auto p. 48
- ▶ Decalcifying function p. 49

NEOREST® EW 2.0

The ultimate solution with added hygiene & comfort.



- ▶ Individually adjustable wand jet p. 30 ▶ Dryer p. 45
- ▶ EWATER+ for the wand p. 32
- ▶ EWATER+ for the bowl p. 34
- ▶ PREMIST: Mist of water prior to use p. 40
- ▶ Sensor-activated lid p. 45
- ▶ Sensor-activated flush p. 45
- ▶ Heated seat p. 45

- Filter p. 45
- ▶ Energy Saver Timer + Auto p. 48
- ▶ Decalcifying function p. 49

RW/RW auto flush

Hygiene and design in a curved design.



- ▶ Individually adjustable wand jet p. 30 ▶ Dryer p. 45
- ▶ EWATER+ for the wand p. 32
- ▶ EWATER+ for the bowl p. 34
- ▶ PREMIST: Mist of water prior to use p. 40
- ▶ Clean Case p. 41
- ▶ Seamless seat p. 41
- ▶ Sensor-activated lid p. 45
- ▶ Sensor-activated flush p. 45
- ▶ Heated seat p. 45

- Filter p. 45
- ▶ Optional: auto flush p. 46
- ▶ Energy Saver Timer + Auto p. 48
- ▶ Decalcifying function p. 49

SW/SW auto flush

Hygiene and design in an angular design.




- ▶ Individually adjustable wand jet p. 30 ▶ Dryer p. 45
- ▶ EWATER+ for the wand p. 32
- ▶ EWATER+ for the bowl p. 34
- ▶ PREMIST: Mist of water prior to use p. 40
- ▶ Clean Case p. 41
- ▶ Seamless seat p. 41
- Sensor-activated lid p. 45
- ▶ Sensor-activated flush p. 45
- ▶ Heated seat p. 45

- Filter p. 45
- ▶ Optional: auto flush p. 46
- ▶ Energy Saver Timer + Auto p. 48
- ▶ Decalcifying function p. 49



- ▶ Individually adjustable wand jet p. 30
- ▶ EWATER+ for the wand p. 32
- ▶ PREMIST: Mist of water prior to use p. 40
- ▶ Heated seat p. 45
- Filter p. 45
- ▶ Optional: auto flush p. 46
- ▶ Energy Saver Timer + Auto p. 48
- ▶ Decalcifying function p. 49



- ▶ Individually adjustable wand jet p. 30
- ▶ EWATER+ for the wand p. 32
- ▶ PREMIST: Mist of water prior to use p. 40
- ▶ Heated seat p. 45
- Filter p. 45
- ▶ Optional: auto flush p. 46
- ▶ Energy Saver Timer + Auto p. 48
- ▶ Decalcifying function p. 49

RG/RG Lite Overall hygiene in a compact design.

- ▶ Individually adjustable wand jet p. 30
- ▶ EWATER+ for the wand p. 32
- ▶ PREMIST: Mist of water prior to use p. 40 (WASHLET® RG only)
- ▶ Seamless seat p. 41
- ▶ Heated seat p. 45
- Filter p. 45
- ▶ Optional: auto flush p. 46
- ▶ Energy Saver Timer + Auto p. 48
- ▶ Decalcifying function p. 49



NEOREST® WASHLET® AC 2.0*

The NEOREST® collection contains TOTO's flagship products, which feature the most extensive comfort and hygiene functions. The NEOREST® WASHLET® is available in two identical designs: EW 2.0 (with EWATER+ technology) and AC 2.0* (with additional ACTILIGHT technology).

NEOREST® WASHLET® AC 2.0* is TOTO's first self-cleaning toilet. ACTILIGHT actively breaks down waste and bacteria using a combination of UV light and zirconium coating. The electrolysed EWATER+ also cleans the toilet bowl and WASHLET® wand jet after use, and keeps waste and dirt from accumulating. Before using the toilet, the PREMIST function sprays the toilet bowl with a fine mist of water to make it more difficult for dirt and bacteria to stick to the surface.

The NEOREST® AC 2.0* also has a sensoractivated lid which opens and closes by itself, an automatic flush and an adjustable dryer. The heated seat and deodoriser ensure that your visit to the bathroom is more pleasant. The wand jet system for personal cleansing is, of course, individually adjustable.

Of course, the NEOREST® AC 2.0* toilet seat isn't kept heated at all times. Energy Saver Auto records user preferences for 10 days and automatically sets them.

The water for the intimate cleansing feature on NEOREST® WASHLET® is heated by a continuous-flow water heater – for unlimited warm water.

- ▶ Technologies p. 52
- ▶ Planning data p. 57













NEOREST® WASHLET® EW 2.0

The NEOREST® EW 2.0 is basically identical to the NEOREST® AC 2.0* – the only difference is that the EW 2.0 does not feature the self-cleaning ACTILIGHT technology.

Before use, the NEOREST® EW 2.0 sprays the inside of the toilet bowl with water (PREMIST) – after all, less waste will stick to a wet surface. Once the toilet is flushed, WASHLET® automatically sprays the toilet bowl as well as the wand jet with electrolysed water. EWATER+ has a cleansing effect and keeps waste from accumulating.

Like the NEOREST® AC 2.0, the EW 2.0 has a sensor-activated lid which opens and closes by itself, an automatic flush and an adjustable dryer. The heated seat and deodoriser ensure that your visit to the bathroom is more pleasant. The wand jet system for personal cleansing is, of course, individually adjustable. All the functions, including the water jet temperature, pressure and position, can be conveniently adjusted using the remote control.

Of course, the NEOREST® EW 2.0 toilet seat isn't kept heated at all times. Energy Saver Auto records user preferences for 10 days and automatically sets them.

- ▶ Technologies p. 52
- ▶ Planning data p. 57







WASHLET® RW / RW auto flush

WASHLET® RW is the Prime Edition of TOTO and has more to offer than just its slim profile: It is equipped with many of TOTO's well-known hygiene features, and even includes a new one.

The seamless seat ring on the RW is even easier to clean. It's also possible to easily remove WASHLET® from the toilet bowl for thorough cleaning. A silicone-based material is used for WASHLET® itself (so-called "Clean Case"), which makes it more difficult for dirt to accumulate.

Of course, WASHLET® RW comes equipped with all of the characteristic hygiene and comfort features: warm water spray, heated seat, odour-absorbing deodoriser and dryer. In addition, the EWATER+ feature cleans WASHLET® wand jet and the toilet bowl with electrolysed water after use.

WASHLET® RW is also available with auto flush. This model offers an additional automatic flush feature in combination with TOTO's frame system and push plate.

- ▶ Technologies p. 52
- ▶ Planning data p. 57









WASHLET® SW/SW auto flush

The SW is TOTO's next Prime Edition model. It includes the same features as the curved RW. The only difference between the two models is their design.

In addition to the well-known hygiene and comfort features, WASHLET® SW also has a seamless seat which makes it even easier to clean. It's also possible to easily remove WASHLET® from the toilet for thorough cleaning. A silicone-based material is used for WASHLET® itself (so-called "Clean Case"), which makes it more difficult for dirt to accumulate.

Of course, WASHLET® SW is equipped with all of the characteristic hygiene and comfort features: warm water spray, heated seat, odour-absorbing deodoriser and dryer. In addition, the EWATER+ feature cleans the wand jet and toilet bowl with electrolysed water after use.

WASHLET® SW is also available with auto flush. This model offers an additional automatic flush feature in combination with TOTO's frame system and push plate.

- ▶ Technologies p. 52
- ▶ Planning data p. 57













WASHLET® RX EWATER+ / RX EWATER+ auto flush

WASHLET® RX EWATER+ combines elegant design, featuring an exclusive urea resin seat, with TOTO's consistently high standards of hygiene.

The RX EWATER+ model also includes an adjustable warm water spray, which is heated by a continuous-flow water heater to ensure unlimited warm-water cleansing. It also has a heated seat, odour-absorbing deodoriser and the PREMIST feature, which automatically sprays a fine mist of water onto the toilet bowl before use. This helps wash away anything that might stick to the surface. The wand jet automatically cleans itself after every use with dirt-repellent EWATER+.

Like all WASHLET® models, it's possible to save preferred spray settings for two users on the remote control and access them at the touch of a button.

WASHLET® RX EWATER+ is also available with auto flush. This model offers an additional automatic flush feature in combination with TOTO's frame system and push plate.

- ▶ Technologies p. 52
- ▶ Planning data p. 57











WASHLET® SX EWATER+ / SX EWATER+ auto flush

WASHLET® SX EWATER+ has the same features as the RX EWATER+. The only difference is the shape. The angular WASHLET® SX EWATER+ has an elegant, slim urea resin seat and is equipped with TOTO's proven technologies.

The SX EWATER+ includes the familiar comfort and hygiene features TOTO is known for: the heated seat, adjustable warm water spray (with continuous-flow water heater for unlimited cleansing), odour-absorbing deodoriser and PREMIST function. The SX EWATER+ also uses the cleansing EWATER+ feature to automatically clean the wand jet after each use.

Like all WASHLET® models, it's possible to save preferred spray settings for two users on the remote control and access them at the touch of a button.

WASHLET® SX EWATER+ is also available with auto flush. This model offers an additional automatic flush feature in combination with TOTO's frame system and push plate.

- ▶ Technologies p. 52
- ▶ Planning data p. 57















WASHLET® RG/RG Lite

This WASHLET® is available in the variants RG and RG Lite. The two versions are identical in design and simply differ in the extent of technologies. With a depth of 540 mm these two WASHLET® models are compact enough to fit even in smaller bathrooms.

The RG Lite is available with hidden and side connections and can be combined with a wide range of TOTO WCs in the version with side connections.

Of course, the user of the RG Lite can also rely on TOTO's extensive hygiene technologies. The heated seat and the individually adjustable water nozzle offer the user comfort and a long-lasting feeling of freshness. And to be protected from dirt, the WASHLET® nozzle is also positioned behind a flap above the WC ceramics in this model. Furthermore, the automatic pre-cleaning of the nozzle with water and the post-cleaning with EWATER+ ensures optimal hygiene for every user.

The WASHLET® RG additionally features the PREMIST function, which sprays the WC ceramics with a fine mist of water before use. Also integrated is a deodoriser that filters unpleasant odours.

- ▶ Technologies p. 52
- ▶ Possible combinations p. 54
- ▶ Planning data p. 57







Every moment of every day, the experience of life arising clean, comfortable and always inviting.

Constantly at work, automated technologies maintain hygienic conditions, keeping surfaces clean and providing a place that is inviting and comfortable.



WARM WATER NOZZLE

The precise, adjustable, stream keeps you clean. And it's always pleasantly warm.

Users can choose from more than just the Comfort and Front wash sprays.

Additional functions allow users to personalise their cleansing experience. The focus is always on the gentle, comfortable spray that uses as little water as possible.

Cleansing spray patterns




sensation for complete cleansing over a

wider area.

Additional functions


complete cleansing and a comfortable

sensation with minimal water use.



ensure intimate cleansing in the most

comforting way.



After each use, the WASHLET® wand automatically washes itself with EWATER+. This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.

Long lasting Cleaniness



Survey: Study the effectiveness of EWATER+ by comparing the state of cleanliness of wands self-cleaned with EWATER+ versus those that are not. No additional cleaning was allowed. Survey period: Two months (September–October 2017). Subjects: Families of four. (Results vary according to usage, environmental conditions, and product type. All data collected by TOTO.)


Always keeping Conditions clean




Made of high-quality waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless.

Self-cleaning, even inside the wand jet






EWATER+ washes the wand and toilet bowl where waste and bacteria tend to accumulate and produce stains that can become permanent. Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic bacteria has no place to hide.



Survey: Study the effectiveness of EWATER+ by comparing the state of cleanliness of toilet bowls that receive no cleaning versus toilet bowls that are self-cleaned with EWATER+. No additional cleaning was allowed.

Survey period: One month (February–March 2017). Subjects: Families of four. (Results vary according to usage and environmental conditions. All data collected by TOTO.)

How EWATER+ cleans




PREMIST, a fine mist of ordinary water is sprayed inside the toilet.

Since waste is less able to adhere to a wet surface, it is more easily washed

EWATER+ is applied to wash the wand and toilet bowl and remove waste.

EWATER+ is automatically sprayed 8 hours after the last use to inhibit bacteria growth.

What is EWATER+?



Produced by electrolysis of the chloride ion in drinking water, It is completely free of chemicals and cleaning agents.

Over time EWATER+ returns to its original state of ordinary water, making it completely environmentally friendly.



CEFIONTECT

CLEAN SYNERGY

Forces waste to slide down

Ultra-smooth ceramic leaves nowhere for waste to cling.

CEFIONTECT is an ultra-smooth ceramic glaze that coats the toilet bowl. Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.

Extremely smooth glaze




No CEFIONTECT

CEFIONTECT

Conventional ceramic may appear perfectly smooth to the eyes, but has gaps where waste, mold and bacteria hide. At just one millionth of a millimeter, CEFIONTECT's surface ridges are much tinier than waste particles.

CEFIONTECT is hydrophilic




Water hydrophobic

Water hydrophilic


Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.

What makes CEFIONTECT so durable?



CEFIONTECT toilet micrograph *1 µm=0.001 mm

Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material.





TORNADO FLUSH

CLEAN SYNERGY

Swirls and ejects waste entirely

360° cleaning power reaches every spot using less water.

TORNADO FLUSH cleans more effectively – but is also quieter, and uses less water than conventional toilets. The powerful flush creates a whirlpool that cleans every inch of the toilet bowl without missing a spot.



RIMLESS

Powerful flush for thorough cleanliness



TORNADO FLUSH reaches every inch of the toilet bowl – all the way to the edge. The water is propelled into the bowl, creating a whirlpool that harnesses the power of the water for thorough cleansing. The high-quality ceramic used in TOTO toilets make this innovative technology possible.

Rimless ceramic toilet bowls



The RIMLESS design not only leaves no place for waste and germs to hide. It also makes for a much easier to clean toilet.

Hygiene, setting new standards.

Hygiene report

TOTO commissioned a comparative study* of a conventional toilet and the TOTO toilets with TORNADO FLUSH. The results showed that these TOTO toilets are especially suitable for use in hygiene-critical areas, such as hospitals, care facilities and heavily used toilets. Another finding showed that the TORNADO FLUSH on the rimless TOTO toilet eliminated all waste and organisms from the surface with the very first flush. To read the complete report, go to: http://gb.toto.com

Excerpt from report

"It was possible to thoroughly clean the ceramic surface and eliminate all soiled areas on the ceramic surfaces of the TOTO toilets quickly, easily and without great effort.


For this reason, only very little time is needed for cleaning."
"...The TOTO CW762Y and CW132Y rimless toilets [...] are superior to the conventional toilet with rim and standard flush."

Prof. Dr. med. Klaus-Dieter ZastrowDoctor for hygiene and environmental medicine

SBZ Flush test Winner

SBZ magazine teamed up with the Esslingen University of Applied Sciences to test the flush attributes of toilets from all prominent manufacturers. TOTO ranked first with all of its models, with the SG 2.0 toilet earning the highest marks in the test overall. The TOTO toilets all had outstanding flush characteristics and do not produce any spray when installed accordingly.





PREMIST automatically sprays water over the surface of the inner toilet bowl before every use. Due to the ceramic's hydrophilic nature, waste washes away more easily.




Guaranteed cleanliness

Covered wand jet



The wand jet disappears completely under a hygienic flap, keeping it free of faeces and urine.

Wand jet position




The jet extends at an angle, which keeps it from getting dirty. The soiled water falls directly into the toilet bowl at an angle of 43–53°, which keeps the jet clean.

Clean resin for nozzle



The wand jet is coated with a silicone-based material with dirt-resistant properties, which keep the jet clean in combination with its self-cleaning feature.

Clean resin for the toilet seat



The toilet seat also consists of a special silicone-based material with dirt-resistant properties.

Clean Case - Clean resin for case


Like WASHLET® seat and nozzle, several WASHLET® models also feature WASHLET® unit made of special silicone-based material with dirt-repellent properties.

Seamless toilet seat

While WASHLET® seat consists of several parts, including the heating coil in the middle, the seat itself is seamless. This gives dirt or waste less space to attack.




ACTILIGHT



ACTILIGHT in the NEOREST® WASHLET® AC 2.0* elevates toilet cleaning to an extraordinary new dimension. Comprising a bacteria-neutralizing ultraviolet light and a titanium dioxide-fired toilet bowl, this extraordinary technology initiates a photocatalytic process that breaks down even microscopic waste particles.

State-of-the-art materials

Titanium dioxide attracts water to the surface of the toilet bowl, setting the stage for photocatalysis. The toilet bowl's photocatalytic glaze layer also contains zirconium oxide, which provides its extreme durability.



Operates 24 hours a day to maintain hygienic conditions





WASHLET® offers the following comfort features for the most user-friendly experience possible.



Sensor-activated lid



Eliminating the need to touch the toilet surfaces, the lid of the WASHLET® models NEOREST® AC 2.0* and EW 2.0, RW and SW automatically opens and closes when the toilet is approached and departed.



Side night lights



Subdued lighting switches on when the WASHLET® models NEOREST® AC 2.0* and EW 2.0, RW and SW are approached, so users do not have to disturb themselves at night with a bright bathroom light.



Heated seat



The remote control regulates the WASHLET® seat temperature and switches the heated seat on and off. Especially comfortable and beneficial in the winter, the heated seat also has an energy-saving feature.



Deodoriser



Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors. Available for all WASHLET® models besides RG Lite.



Sensor-activated flush



No need to touch buttons or handles and never worry about someone forgetting to flush – it's automatic after each use. Available for the NEOREST® AC 2.0* and EW 2.0 model.



Remote control



The remote control makes all functions easy to use and adjust. Several models include a memory function to save preferred settings for up to two users. It is also possible to flush the toilet using the remote control on several models.



Dryer

The individually adjustable dryer follows the warm water spray to ensure a dry, clean overall feeling. Available for the following models: NEOREST® AC 2.0* and EW 2.0, RW and SW.



Continuous-flow water heater

All TOTO WASHLET® feature a continuous-flow water heater to provide unlimited water for intimate cleansing.



TOTO's frame system makes it possible to add an automatic flush feature to selected and special WASHLET® models – for even greater hygiene thanks to less contact while using the toilet.

Touch-free flush

The frame system is available for specially designed WASHLET models with automatic flush:

- RW auto flush*
- SW auto flush*
- RX EWATER+ auto flush*
- SX EWATER+ auto flush*

The frame system is combined with the familiar connecting set for WASHLET® with hidden connections and TOTO's brushed stainless steel push plate. In this combination, the automatic flush is activated once the WASHLET registers that the user has stood up.

The "small" 3-litre flush is activated if the user has been seated for 6 to 30 seconds, and the "large" 4.5-litre flush for more than 30 seconds. The automatic flush is not activated if the user sits for fewer than 6 seconds.






ENERGY SAVER

Save energy during times of non-use

Manual and automatic energy saving feature.



TOTO shower toilets feature two types of energy savers. Energy saver timer allows you to set a time at which the shower toilet is set to stand-by mode. With energy saver auto, it records its users' habits and automatically selects the best time for stand-by mode.





Decalcification

It is possible to decalcify TOTO shower toilets. For the NEOREST® WASHLET® AC 2.0* and EW 2.0 model, simply fill with a TOTO-recommended, conventional decalcifying agent and start the decalcifying programme. And for the RW and SW, RX EWATER+ and SX EWATER+, RG and RG Lite WASHLET® you can decalcify with the automatic decalcifying programme and the removable wand jet.

EN 1717 standard stands for drinking water safety

Toilet water is rated as a hazard class 5 liquid in accordance with EN 1717. This standard describes the necessary precautions that a device must fulfil in order to secure the quality of drinking water. All TOTO shower toilets are intrinsically safe and have a family A, type B respectively type D backflow prevention. This keeps non-potable water from flowing back into drinking water systems without any additional installation required.



All WASHLET® models are WRAS certified and meet the high standards of UK water regulations. With its environmentally friendly philosophy, this certification also confirms TOTO's sustainable responsibility at a local level.

Sustainable cleansing

WASHLET® models NEOREST® AC 2.0* and EW 2.0, RW and SW spray the cleansing EWATER+ onto the extra smooth ceramic toilet bowl to make it more difficult for waste and bacteria to accumulate. Free of chemicals and cleansers, EWATER+ can be released back into the water cycle without worry as H₂O.





INTEGRATED



WASHLET® RX EWATER+ with WC RP

WASHLET® models and toilets unite innovative technologies and aesthetic design.

The goal: to provide users with maximum hygiene and comfort.

The result: a holistic wellness experience for the body and soul.



Product details of TOTO's Prime Edition: WASHLET® RW with WC RP and WASHLET® SW with WC SP

Toilet and WASHLET® combinations that are truly stunning from every angle

TOTO's minimalistic product design is aligned with its technology. All technical components are integrated within the product. You know that they are there, and can use them – but cannot see them. To achieve the best look, we combine most WASHLET® models with a compatible TOTO toilet that makes it possible to run the needed cable and water connections through the ceramic.

Award-winning design

TOTO and WASHLET® stand for excellent design as shown by the many prominent product awards received in recent years (excerpt):



Green Good Design Award

NEOREST® AC 2.0, NEOREST® EW 2.0, RW, SW, RX EWATER+, SX EWATER+, RG, RG Lite



iF Design Award

NEOREST® AC 2.0, RX and RW (with WC RP), SX and SW (with WC SP)

Overview

Overview of WASHLET®			NEOREST® WASHLET® AC 2.0*	NEOREST® WASHLET® EW 2.0	
		tions			
	0	ACTILIGHT	•		
	6	EWATER+ for the bowl	•	•	
	6	EWATER+ for the wand	•	•	
		PREMIST	•	•	
		Self-cleaning wand jet	•	•	
N. H	(Clean resin (silicone-based alloy) for nozzle/for toilet seat	•	•	
HYGIENE	4	Clean Case: Clean resin (silicone-based alloy) for case			
		Seamless seat ring			
	N.	CEFIONTECT	•	•	
	<u>a</u>	RIMLESS DESIGN	•	•	
	999	TORNADO FLUSH	•	•	
	Qa	Decalcifying function	• 1)	• 1)	
		Comfort spray rear	•	•	
		Comfort spray rear soft	•	•	
<u>o</u>		Comfort spray front wash	•	•	
CLEANSING		Oscillating spray	•	•	
CLE		Massaging spray	•	•	
		Adjustable water pressure	•	•	
		Adjustable position	•	•	
		Nightlight	•	•	
		Sensor-activated flush	•	•	
		Sensor-activated lid	•	•	
		Soft-closing seat	•	•	
	(A)	Remote control	•	•	
ORT		DRYER with adjustable temperature	•	•	
COMFORT		HEATED SEAT with adjustable temperature	•	•	
		DEODORISER – Air-cleaning filter system	•	•	
	in	Memory funktion for two people	•	•	
	(I·c)	Continuous-flow water heater	•	•	
	0	Energy Saver Timer	•	•	
		Energy Saver Auto	•	•	

WASHLET® RW	WASHLET® SW	WASHLET® RX EWATER+	WASHLET® SX EWATER+	WASHLET® RG	WASHLET® RG Lite **
				3	
 •	•				
	•		•	•	•
	•		•	•	
	•		•	•	•
	•		•	•	•
	•		•	•	•
 •	•			•	•
 •	•		•	•	•
	•		•	•	•
	•		•	•	•
	1) 2)		• 1) 2)	• 1) 2)	• 1) 2)
 •	•		•	•	•
•	•		•	•	•
•	•		•	•	•
 •	•		•	•	•
 •	•		•	•	•
 •	•		•	•	•
	•		•	•	•
	•				
	3)		3)		
	•				
	•		•	•	•
	•		•	•	•
	•				
	•		•	•	•
	•		•	•	
	•		•	•	•
	•		•	•	•
	•		•	•	•
	•		•	•	•

Overview of

	verview of	NEOREST® WASHLET® AC 2.0*	NEOREST® WASHLET® EW 2.0	
te	chnical details			
	Comfort spray flow rate	0.27 to 0.43 I/min	0.27 to 0.43 I/min	
SAY.	Soft flow rate	0.27 to 0.43 I/min	0.27 to 0.43 I/min	
WARM WATER SPRAY	Lady shower flow rate	0.29 to 0.43 I/min	0.29 to 0.43 I/min	
RM WA	Continuous-flow water heater	•	•	
WAI	Warm water supply	unlimited	unlimited	
	Adjustable water temperature	30 to 40 °C	0.27 to 0.43 I/min 0.27 to 0.43 I/min 0.29 to 0.43 I/min	
L.	Heated seat, individually adjustable temperature	28 to 36 °C	28 to 36 °C	
COMFORT	Deodoriser – Filter system performance	0.16 m ³ /min	0.16 m³/min	
Ö	Dryer with adjustable temperature	35 to 55°C approx. 0.29 m³/min		
IPES	Power outlet required	•	•	
ONS/P	Water connection pressure	1 to 10 bar	1 to 10 bar	
CONNECTIONS/ PIPES	Power input	1,289-1,527 W	1,289–1,527 W	
CON	Connection limits	220-240 V/50 Hz	220-240 V/50 Hz	
ECO	EN 1717 (Drinking water safety)	•	•	

WC/W	ASHLET ®
combin	ations

	C/WASHLET®	NEOREST® WASHLET® AC 2.0*	NEOREST® WASHLET® EW 2.0	
CO	mbinations			
	WC NEOREST® AC 2.0* with Zirconium coating	•		
	WC NEOREST® EW		•	
	WC RP			
TOILET	WC SP			
 	WC GP			
	WC NC			
	WC ES			

WASHLET® RW	WASHLET® SW	WASHLET® RX EWATER+	WASHLET® SX EWATER+	WASHLET® RG	WASHLET® RG Lite**
0,27 to 0,431/min		0.27 to 0.43 I/min		0.27 to 0	.43 I/min
0,27 to 0	,43 l/min	0.27 to 0	1.43 I/min	0.27 to 0	.43 I/min
0,29 to 0	,431/min	0.29 to 0	1.43 I/min	0.29 to 0	.43 I/min
	•		•		•
unlimited		unlimited		unlimited	
30 to 40°C		35 to 40°C		35 to 40°C	
28 to	36°C	28 to 36°C		28 to 36°C	
normal 0,0 power 0,1	09 m³/min, 16 m³/min	normal 0,09 m³/min, power 0,16 m³/min		normal 0,09 m³/min, power 0,16 m³/min	
37 to approx. 0,	55°C 29 m³/min				
	•				•
1 to 10 Bar		1 to 10 bar		1 to 10 bar	
1,455-1,468 W		1,437-1,459 W		1,482-1,495 W	1,480-1,494 W
220-240 V / 50 Hz		220-240 V / 50 Hz		220-240 V / 50 Hz	
	•		•		•

^{**} with hidden or side connections

WASHLET® RW	WASHLET® SW	WASHLET® RX EWATER+	WASHLET® SX EWATER+	WASHLET® RG		HLET® Lite
					with hidden connections	with side connections
CW542ERY		CW542ERY				€ CW552RY
	CW522ERY		CW522ERY			
				CW553EY	CW553EY	€ CW553Y
						CW761Y, CW762Y, CW763Y
						• CW797

Planning data

NEOREST® WASHLET® AC 2.0*


incl. remote control

NEOREST® WASHLET® EW 2.0 incl. remote control







Technical drawings




















Technologies





Product code

- ▶ TCF996RWG
- ▶ TCF996RWSW (CH)
- ► CW996PVD#NW1 WC
- ▶ TCF994RWG
- ► TCF994RWG ► TCF994RWSW (CH)
- ▶ TCF994RWGE (UK)
- ► CW994P#NW1 WC

Required accessories

U NEOREST® WC AC 2.0, wall-hung CW996PVD#NW1, Motor unit for automatic flushing E00004 and TECE NEOREST® module 9.300.344, can be combined with NEOREST® push plate E00003

* NEOREST® WASHLET® AC 2.0 is not available for the UK market.

NEOREST® WC EW wall-hung CW994P#NW1, Motor unit for automatic flushing E00004 and TECE NEOREST® module 9.300.344, can be combined with NEOREST® push plate E00003

NEOREST® WC EW, wall-hung CW994P#NW1, Motor unit for automatic flushing E00004, TECE NEOREST® module 9.300.048 (1,120 mm) or 9.300.051 (980 mm); can be combined with NEOREST® push plate E00003

WASHLET® RW / RW auto flush incl. remote control

WASHLET® SW / SW auto flush incl. remote control

WASHLET® RX EWATER+ / RX EWATER+ auto flush incl. remote control


WASHLET® SX EWATER+/ RX EWATER+ auto flush incl. remote control




























































- ▶ TCF801CG
- ▶ TCF802C2G (auto flush)
- ► CW542ERY (WC)
- ▶ TCF803CG
- ▶ TCF804C2G (auto flush)
- ► CW522ERY (WC)
- ▶ TCF894CG
- ▶ TCF895CG (auto flush)
- ► CW542ERY (WC)
- ▶ TCF896CG
- ► TCF897CG (auto flush)
- ► CW522ERY (WC)

WC RP, wall-hung only for WASHLET® CW542ERY, Connecting set for WASHLET® with hidden connections SP10695UN or Mini Ball valve 3/8" for WASHLET® SP515011B

for the version with automatic flushing additionally: Frame system for WASHLET® with automatic flush WH182EAT (WH183EAT for UK), Push plate MB175M#SS WC SP, wall-hung only for WASHLET® CW522ERY, Connecting set for WASHLET® with hidden connections SP10695UN or Mini Ball valve 3/8" for WASHLET® SP515011B

for the version with automatic flushing additionally: Frame system for WASHLET® with automatic flush WH182EAT (WH183EAT for UK), Push plate MB175M#SS

WC RP, wall-hung, only for WASHLET® CW542ERY, Connecting set for WASHLET® with hidden connections SP10695UN or Mini Ball valve 3/8" for WASHLET® SP515011B

for the version with automatic flushing additionally: Frame system for WASHLET® with automatic flush WH182EAT (WH183EAT for UK), Push plate MB175M#SS

WC SP, wall-hung only for WASHLET® CW522ERY, Connecting set for WASHLET® with hidden connections SP10695UN or Mini Ball valve 3/8" for WASHLET® SP515011B

for the version with automatic flushing additionally: Frame system for WASHLET® with automatic flush WH182EAT (WH183EAT for UK), Push plate MB175M#SS

WASHLET® RG incl. remote control, seat with soft closing function

WASHLET® RG Lite with hidden connections seat with soft closing function


WASHLET® RG Lite with side connections seat with soft closing function









Technical drawings































Technologies







Product code

▶ TCF34270GEU

▶ TCF34170GEU

▶ TCF34120GEU▶ TCF34120GGB (UK)

Required accessories

WC GP, wallhung only for WASHLET® CW553EY, Connecting set for WASHLET® with hidden connections SP10695UN or Mini Ball valve 3/8" for WASHLET® SP515011B

WC GP, wallhung only for WASHLET® CW553EY, Connecting set for WASHLET® with hidden connections SP10695UN or Mini Ball valve 3/8" for WASHLET® SP515011B

can be combined with WC GP, wallhung CW553Y or WC RP, wallhung CW552RY or WC ES, wall-hung CW797 or WC NC, wall-hung CW762Y or WC NC, back-to-wall, floor-standing CW763Y or WC NC, close coupled CW761Y with ceramic cistern NC SW760DY

What you should know

What technical aspects do I need to consider?

Your plumber and electrician need to provide extra power and water connections in advance.

Who can install the shower toilet?

Trained and certified plumbers are fully capable of installing shower toilets.

How can I find the closest plumber or retailer?

You can find retailers and certified plumbers on our website (eu.toto.com).

Can I upgrade my toilet to a shower toilet?

If you have the necessary power and water connections, it is possible to upgrade at any time. Please consult this brochure to see which WASHLET® models fit on which TOTO toilets.

How can I decalcify WASHLET®?

It's easy to decalcify your own WASHLET®. There are different options available depending on the model. For more details, please see the instructions for your model or our website: eu.toto.com.

Where can I try one?

Use the WASHLET® finder on our website (eu.toto.com) to see where the nearest publicly accessible WASHLET® model is located.

Why should I choose a TOTO shower toilet?

TOTO produces the most technically sophisticated shower toilets on the market today.

Our deep feelings for people and their life have remained unchanged since our foundation.

In 1912, in an era when there were as yet no sewage facilities in Japan and thoughts of hygiene were still nascent, Kazuchika Okura, the founder of TOTO, was deeply impressed by the cleanliness of the ceramic toilets he saw in the West, and he took up the challenge to create a national hygienic ceramic

industry based on the idea of "improving the lifestyle of the Japanese people". Subsequently, at the end of five years' research, he succeeded in mass-producing Japan's first hygienic ceramic toilet. This is exactly what we could call the beginning of a new culture.


TOTO's manufacturing philosophy is bonded deeply to that moment create when new lifestyle values were created.

Further, these ideas have continued without pause until today.

TOTO remains dedicated to delivering products that offer inclusive functionality and respect for the environment.

We embrace these values every day to create a future that surpasses all expectations.

To ensure we secure and retain the trust of customers and society as a whole, we have formulated a mission with three key elements.



We will implement our Global Environmental Vision to support the mission.



Water, Earth & a better Tomorrow

At TOTO, we're committed to improving life and the environment for a thriving future.

Our production processes and products save water and energy, while reducing impact on the environment.

We provide cleanliness and comfort while building relationships that enrich life.

Water, Earth & a better Tomorrow.

All our group companies are dedicated to building a healthier and more sustainable tomorrow.

Publishing details

Published byTOTO Europe GmbH

teu.info@toto.com eu.toto.com

Authorised representatives: Shinya Tamura, Hiromoto Harano Managing Director

Copyright

2023, TOTO Europe GmbH NEOREST, WASHLET and WASHLET logo are registered trademark of TOTO Ltd.

Last revised

June 2023

Concept development, editing and design

PLEXGROUP, Berlin TOTO Europe GmbH

Picture credits

p. 28/29 \odot iStock/Vladimir Arndt

p. 56/57 © iStock/SplashofPhotography



TOTO Europe GmbH

Headquarters Zollhof 2 40221 Düsseldorf Germany

London concept store (registered in England and Wales as an overseas company, number FC029191) 140–142 St. John Street London EC1V 4UA United Kingdom T +44 (0)207 831 7544 teu.london@toto.com

teu.info@toto.com eu.toto.com